



STAINLESS STEEL LIFTING DEVICES MEET STRICT PLEAN RDDM REQUIREMENTS

At Superlift Material Handling Inc. we make it our job to say yes!

- Yes to your requests for simple cost effective solutions for your ergonomic lifting needs.
- Yes, to your requests for engineered custom solutions that will perform as promised at the right price.
- Yes, to exceptional equipment, built with quality Superlift components that can be serviced anywhere.
- Yes, to on time delivery so that you know your lift products will arrive as expected.
- Yes, to your expectations that Superlift Material Handling Inc. meet and exceed ANSI standards with UL and CSA approved components.

Whether you want to lift a skid thirty inches or thirty feet. Superlift Material Handling Inc. will do the job.

We have products to lift, tilt, rotate, upend, move, extend or lower your products. Superlift Material Handling Inc. offers one of the most complete lines in the industry from skid lifts to extra heavy duty tables, including hard to find all Stainless Steel material.

Capacities are available from 500 lbs to 100,000 lbs. We back up our quality products with first rate customer service and the best warranty in the industry. Our products are built to last in the toughest applications.

Our staff strives to make your experience with Superlift Material Handling Inc. a pleasant one so that when you need a lift product, we should be your supplier of choice.

Inside this issue:

creases the life of your metal belting.	2
Traxx-Rite eliminates mis-tracking	5
Wiremation Filter Belts	5
Ashworth has your spiral belts	5
POBCO has the 2016 catalog out for all your conveyor components	3
Lumsden's Edgewise stops tangles	4
NxKem—NxTec—affordable products to keep your business running well.	6
Wrabacon—Custom Automation	6
REMCO keeps your plant cleaning organized	7
BS&k Can work for you	7
Featured — POBCO—UXC	8

Special points of interest:

- <u>Lumsden</u> solves the dreaded problems of "belt snagging".
- Wiremation Standard sprocket driven mesh belts to prevent mistracking
- <u>Wiremation</u> increases the life of your metal belts if stretch is the problem.
- REMCO can clean up your sanitation problems
- <u>Pobco</u> expands PET product offering and and materials and offers the our 2016 catalog as well as an online version: www.pobcoplastics.com

PAGE 2 IN MOTION FOR YOU . . .




LUMSDEN BELTING SIDEWINDER HELPS REDUCE STRETCH AND MESH DAMAGE IN THE TDUGHEST APPLICATIONS—TRY US!



Lumsden introduces the new Sidewinder Belt Family.

Balance weave belting has been around for over 100 years with minor improvements over time. There are companies that offer round wire and some that offer top flattened wire, but none have been able to conquer the challenge of shaping the **sides** of the wire, until now.

Through years of R&D, Lumsden Belting has found the answer to everyone's question... How can I make my belts last longer? The answer is in the shape of the wire. With Lumsdens' patented side shaped wire design, you can extend your belt life up to 8 times longer than your current comparable belt. And we are willing to prove it to you.



- Side shaped wire increases strength
- Flattened sides reduce carry over
- Greater open area.
- Minimal stretch
- Quick and easy to splice

With Lumsden's patented side flattened wire, the "I-beam" design gives 3 times greater structural support for your product versus the standard round wire.




Round Wire Spiral Blinding

BREADING/COATING ROUND WIRE ROUND WIRE SPIRAL SPIRAL COATING FALLING THROUGH SPIRALS TO

BE REUSED

Sidewinder Spiral Blinding

BREADING/COATING



THROUGH SPIRALS TO BE REUSED



POBCO PLASTICS LATEST CATALDG HAS MANY NEW ITEMS TO REDUCE YOUR FRICTION AND YOUR CDSTS



POBCO Products

- Plastic Guide Rails
- Plastic, Stainless Steel Brackets
- Rollers (Plastic, Steel & Wood)
- Bearings (Plastic & Wood)
- Plastic Sheet Stock
- Plastic & Wood Rod Stock
- FEP Shrink Fit Roll Covers
- Special Rollers
- Teflon Coated Fabric/Tapes/Belts
- Pressure Sensitive Plastic Adhesive Wear Tape


POBCO Capabilities

- Extruding
- Molding
- CNC Machining
- Screw Machining
- Turning
- Milling
- Routing
- Secondary Operations
- Assembly
- Custom Machined & Extruded
 Profiles & Shapes
- Die Cutting/Punching

POBCO Materials

- ULTRA-D® UHMWPE (Ultra-High Molecular Weight Polyethylene) UXC—Blue
- Static Reduced UHMWPE
- UV Stabilized UHMWPE
- High Temperature UHMWPE (Fluid Lubricant-Filled UHMWPE)
- PLUS®
- Steel Filled UHMWPE
- High Wear CP, Black or Green
- Rulons® (Hi-Temp Food Grade 641, Bearing greades LR, J)
- Low & High Density Polyethylene (PE)
- Acetal (Delrin®, Celcon®) UXC—Blue
- Delrin AF® (Teflon Filled Acetal)
- Delrin® (Also Lube-Filled & Oil Filled Types) (Solid Lubricant-Filled Delrin) (Fluid Lubricant-Filled High Temperature Plastic) (Lubricant-Filled Grey Nylon) (NylatronGS®)
- DELLUBE
- Nvlon
- NYLUBE
- Nylon MD
- PVC (Polyvinyl Chloride) (High Heat Plastics) PTFE ® Glass Filled (Urethane: Specify Durometer Reading & Color)
- TEFLON®
- Teflon
- POLYURETHANE
- POLYPROPLENE
 - Flurosint 207® (High Heat)

POBCO® Guides and Accessories Overview





LUMSDEN'S EDGEWISE BELT HAS DRASTICALLY REDUCED Belt waste due to tangling



Lumsden's <u>Edgewise</u> edge has proven to many customers that this design prevents tangling and catching of the wires both on and off the machine. They come off the rolls un-tangled, they don't catch on adjoining belts, and there are no ends to bend open and break.

Less downtime, less scrap and with the buffed edge, less cut hands. A real winner in all cases.

With the <u>Edgewise</u> edge, wires do not have to be opened and then closed again to splice belt. This prevents the ends from breaking off, and having to re-splice the belt, like other belts do.



Don't forget your drive components!

We can supply the sprockets, idle rollers, nose rollers as well as the wear strips and belt supports. The nose rollers, in addition to tracking, protect the "Z" bends of the belt. By replacing them before they wear down, you can increase the life of the belt and extend maintenance intervals Let us show you how we can save you money.





LUMSDEN FLEX TURN BELTS, THE NEXT GENERATION IS HERE.

Lumsden has the new and improved Flex Turn Belt. This belt is made to precise tolerances and without any splice clips that can harbor bacteria.





Edgewise "Snag-free" edges

Our longer belt edge greatly reduces tangling during installation and improves operator safety by making it virtually impossible to snag.



Typical Competition Belt Edge



Lumsden Belt Edge


Our belt is a "drop on" belt that requires no modifications to your existing conveyor. We'll be happy to show you the difference.

VOLUME 18, ISSUE 3 PAGE 5



WIREMATION TRAXX RITE HELPS KEEP YDU Tracking withdut edge damage

<u>Traxx Rite®</u> is our patented sprocket-driven line of woven wire conveyor belts. The positive driven belt ensures precision tracking of your conveyor and eliminates belt slippage in wet or oily conditions. Traxx Rite® belting is offered in a wide array of opening sizes and wire diameter. Traxx Rite® is ideal for any application that needs air flow to cool the product, openings so that any breading or batter can easily fall through or tighter weave for smaller products to stay put for further processing. The splicing process is as simple as any balance weave belting you may already use, but much easier than other types of open surface area belting. Our Traxx Rite® line of belting is FDA approved to be used in all food processing applications.



We have designed an abbreviation of the normal 8-10 character specifications to simplify the ordering process. Please contact us if you have any questions on these.



WIREMATION CLEANS UP YOUR DILY PROBLEMS WITH IT'S FILTER BELT

Filter Belts Any plant that is frying is a likely Filter Belt customer. Filter Belts are most commonly used in the Stein SF Series Continuous Force Flow Filter, which is, by far, the most common system used in the industry. These belts are used to filter the oil used in the fryer, extending the life of the frying oil and minimizing the formation of fatty acids. Filter belts can remove particles as small as 80 micron or 60 micron. After the particles are removed from the oil, they are removed from the belt by a scraper for reclamation or recycling.

In addition to the 316 SS Reverse Double Dutch weave mesh material and the low profile alligator lace, contact us to tell you the other features why our filters do a better job, and last longer.






SPIRAL BELTS, INSTALLATION AND SERVICE

Ashworth, the inventors of the low tension spiral systems, are manufacturers of turn curve belts made from metal, hybrid metal and plastic. We can design, inspect, repair, retrofit, rebuild and install a belt for you.

Let the experts work on your spiral. You will see the difference from the beginning through the work and installation. Call today and let us show you how we can help you with the latest designs, applications and products, including our Self Stacking Belt, the ExactaStack.



www.bsandk.com



NX-KEM KEEPS YDUR MRO BUDGET IN CHECK WITH QUALITY CHEMICALS AT REASDNABLE PRICES

NX-Kem distributes our own branded formulations on the national level. Whether you need industrial or commercial applications, our high-quality formulations can tackle the job, no matter how small or large it may be. We are ready to help you find the perfect formulation for all of your repair, operational and cleaning needs. Here are just a few of the broad categories our more than 500 branded formulations cover:

Adhesives—Carpet Care—Cleaners—Coatings—Deodorants—Disinfectants—Floor Care-Grounds—Lubricants—Patching—Pest Control—Sewer & Drain—Skin Care—Solvents Water Treatment—Water Products—Wipes—Equipment—Earth-friendly—Special and Custom

Let us help you, at affordable prices. Call us today (704) 365-6408 Whatever your specialized formulation needs might be, NXKEM has the solution. Let us know how we can be of help today!



NX-TEC PRDVIDES TDDLS, SUPPLIES AND EVERYDAY ITEMS YDU USE AT PRICES YDU CAN AFFDRD

As a national distributor of maintenance, repair and operational products, NXTEC is ideally poised to meet all of your needs across a broad range of business sector. We offer over one million items from facilities maintenance supplies, janitorial supplies, fasteners and hardware, to first aid and safety supplies. We are here to help you source the exact supplies you need. Here are a few of the item categories we cover:

* Facilities Maintenance Supplies—*Cleaning & Janitorial Supplies—*Office & Business Supplies—*Safety Supplies—*Fasteners & Hardware Supplies—*First Aid Supplies

If you're looking for the ideal operational solutions for your business, we can provide for your needs. Give us a call today to let us know how we can assist you. (704) 365-6408



WE PRDVIDE SDLUTIONS TO YOUR AUTDMATION CHALLENGES

Wrabacon has designed and manufactured automated conveyor systems for products of varied shapes, sizes and weights, with each design tailored to fit into the curves, bends, raising or lowering of existing production lines. These systems can be stand-alone units or integrated to respond and operate with a customer's in-use equipment.


Product input can be singular or multiple, and the automated conveyor systems are programmed to carry the products at speeds compatible with upstream or downstream components. These conveyors reduce or eliminate physical handling of product, which in turns generates a controlled product flow through the system that can be increased or decreased as the demands of the system dictate. We are experts in controlling product orientation, and creating controls that determine product movement. Each System is designed to meet the specific requirements of the customer and product. Various types of conveyors are available based on customer requirements. Mild steel, painted steel and stainless conveyors are available

Let us design some equipment for you.



REMCD KEEPS YDUR WDRKPLACE CLEAN AND SANITARY





Products from REMCO can be color-coded to help divide the production cycle into different zones or tasks. By identifying these as different cleaning areas, the movement of contaminants around the production area can be effectively blocked.




















BS&k CDMPANY INTEGRATES LDCAL SERVICE WITH NATIONAL KNDWLEDGE

The BS&k company has been providing local service to companies for 10 years.

Knowledge we have gained from working with national companies has allowed us to service companies locally, the way most national companies get serviced.

With 30 years experience in sales and manufacturing environments, we know how critical it is to you to have your lines up and running, when you need them up and running. We won't let you down!

Let us work with you and provide the following:

- Plant Surveys
- Complimentary Product lines
- Competitive Pricing
- On-site troubleshooting
- Installation Assistance
- Order History Analysis
- Stocking Plans

Contact us today and let us show you what we can do for you.

Don't forget to ask us for your No cost / no obligation review of your production lines.

We have a CD with our literature, catalogs and other information on it. Let us send one to you.

(800) 634-1114 (Toll free) (704) 365-6408 (Local) (704) 365-3578 (Fax)

www.bsandk.com





bob@bsandk.com sue@bsandk.com

PAGE 8 VOLUME 18, ISSUE 3

Featured Application

Application: Wear Strips, Belt Supports

Principal: POBCO Plastics

POBCO offers many performance materials for specialty situations far above just a temperature limitation requirement. We are often confronted with requests for speed, dry running, abrasion resistance, chemical resistance as well as loads.



Our original material, POBCO B Lube filed hardwood, is unique for heavy loads as well as abrasion resistance and longevity. Our POBCO Plus adds lube to our UHMW for higher speeds and smoother operations. Our Hi-Wear is for just that as well as our Virgin Teflon that takes on 550 degrees F.

And now our line of blue materials in "UXC", Delrin, and UHMW is detectable from many pieces of food processing equipment.

POBCO Blue "UXC" is primarily used as Guide material for Table Top and Roller Chain applications. This blend of UHMW has a coefficient of

friction of 50% to 75% less than standard UHMW when used with Acetal, PET and Steel Table Top Chain. Other characteristics include: outstanding dry-running properties, FDA compliant, noise reducing, and eliminates the slip-stick effect (back-sliding).



Be sure to consult us on your unique requirements for improving wear so you can increase productivity, as we more than likely can solve your production issues..

Give us a try and maybe we can even design a better product than you have now.